

Safety Data Sheet dated 30/03/2015, version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Trade code: HPASTF102 HPASTF102

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet

Company: Hosta Polymers

19 Rue du Mercure, ZI Ben Arous

2013 Ben Arous - Tunisia.

Tél : +216 71 383 675

Fax : +216 71 383 716

commercial@hosta-polymers.com

8.00-18.00

Competent person responsible for the safety data sheet: sds@hosta-polymers.com

1.4. Emergency telephone number Hosta Polymers Tel +21671383675 fax +21671 383716

> 8.00-18.00 PHONE: +21629601155 24/24H, 365 days/year

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols: Xi Irritant
R Phrases: R38 Irritating to skin. R41 Risk of serious damage to eyes.

EC regulation criteria 1272/2008 (CLP):

Warning, Skin Irrit. 2, Causes skin irritation.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements

Symbols:



Warning

HPASTF102 Page n. 1 of 8 ®HOSTA is a trademark of HOSTA Polymers.




Hazard statements: H315 Causes skin irritation. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P264 Wash ... Thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P332+P313 If skin irritation occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with applicable regulations. **Special Provisions:** None Contents: N,N-Bis(2-hydroxyethyl)dodecanamide Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - N.A.
- 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

- >= 15% < 25% N,N-Bis(2-hydroxyethyl)dodecanamide
 - CAS: 120-40-1, EC: 204-393-1 Xi; R41-38
 - 3.2/2 Skin Irrit. 2 H315
 - 4.1/C2 Aquatic Chronic 2 H411



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

- Areas of the body that have or are only even suspected of having come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.
- In case of eyes contact:
 - After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.



Protect uninjured eye.

- In case of Ingestion:
 - Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:
- Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed
 - In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).
 - Extinguishing media which must not be used for safety reasons:
 - None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections
- See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.



- See also section 8 for recommended protective equipment. 7.2. Conditions for safe storage, including any incompatibilities
 - 22. Conditions for safe storage, including any in Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Advantations and regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - No occupational exposure limit available
- **DNEL Exposure Limit Values**
 - N,N-Bis(2-hydroxyethyl)dodecanamide CAS: 120-40-1
 - Worker Professional: 73.44 mg/m3 Exposure: Human Inhalation Frequency: Long Term, systemic effects
 - Worker Professional: 8.33 mg/kg Exposure: Human Dermal Frequency: Long Term, systemic effects
 - Consumer: 21.73 mg/m3 Exposure: Human Inhalation Frequency: Long Term, systemic effects
 - Consumer: 5 mg/kg Exposure: Human Dermal Frequency: Long Term, systemic effects
 - Consumer: 6.25 mg/kg Exposure: Human Oral Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

N,N-Bis(2-hydroxyethyl)dodecanamide - CAS: 120-40-1

- Target: Fresh Water Value: 0.007 mg/l
- Target: Marine water Value: 00007 mg/l
- Target: Marine water sediments Value: 0.00115 mg/kg
- Target: Marine water sediments Value: 0.0115 mg/kg
- 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

- Protection for skin:
 - Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.
- Protection for hands:
 - Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
- Respiratory protection:
- Not needed for normal use.
- Thermal Hazards:

None

- Environmental exposure controls:
 - None

SECTION 9: Physical and chemical properties

- 9.1. Information on basic physical and chemical propertiesAppearance and colour:N.A.Odour:N.A.Odour threshold:N.A.
 - Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.



۹.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture: N.A.

- Toxicological information of the main substances found in the mixture:
 - N,N-Bis(2-hydroxyethyl)dodecanamide CAS: 120-40-1
 - a) acute toxicity:
 - Test: LD50 Route: Oral Species: Guinea pig > 5000 mg/kg
 - Test: LD50 Route: Skin Species: Rat > 2000 mg/kg
 - b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Guinea pig Positive
 - c) serious eye damage/irritation:
 - Test: Eye Corrosive Species: Rabbit Positive
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitization Species: Guinea pig Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Negative



If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

- Adopt good working practices, so that the product is not released into the environment. N,N-Bis(2-hydroxyethyl)dodecanamide CAS: 120-40-1
- a) Aquatic acute toxicity:
 - Endpoint: EC50 Species: Fish 2.4 mg/l Notes: 96 days
 - Endpoint: LC50 Species: Daphnia 3.2 mg/l Notes: 21 days
- 12.2. Persistence and degradability
- None
 - N,N-Bis(2-hydroxyethyl)dodecanamide CAS: 120-40-1
 - Biodegradability: Readily biodegradable Test: N.A. Duration: N.A. %: N.A. Notes: N.A.
- 12.3. Bioaccumulative potential
 - N.A.
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es)
 - N.A.
- 14.4. Packing group N.A.
- 14.5. Environmental hazards ADR-Environmental Pollutant: No



IMDG-Marine pollutant:

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

15.2. Chemical safety assessment No

SECTION 16: Other information

Text of phrases referred to under heading 3: R38 Irritating to skin.

R41 Risk of serious damage to eyes.

H315 Causes skin irritation.H411 Toxic to aquatic life with long lasting effects.H318 Causes serious eye damage.

SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 4: First aid measures SECTION 7: Handling and storage SECTION 8: Exposure controls/personal protection SECTION 11: Toxicological information SECTION 12: Ecological information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:



ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.