

LIGHT STABILIZER MB: HPUVSTFIB101

Product description

The MB HPUVSTFIB102 contains a LMW-HALS and processing stabilizer recommended for the stabilization of PP tapes articles for high demanding outdoor usage. Its use allows to effectively stabilize the final article against UV degradation. The granular shape of this MB, being very similar to that of the polyolefin resin in terms of size and density, allows an easy mixing/dispersion with the raw materials.

Specifications (reported on CoA)

Active content HALS	9.0-10.5%	M UV
---------------------	-----------	------

Additional Typical Properties

Appearance	Slightly Yellow Granules	M001
Bulk Density	0.55-0.65	M003

Recommendations of use

Addition levels of MB HPUVSTFIB101 depend on various factors such as thickness of the article, expected service life, climatic conditions, presence of fillers and other additives and commonly range from 1.5-5.0%. For higher demanding applications customer specific MB can be produced.

Contact us for your specific recommendation needs.

Packaging

MB HPUVSTFIB101 is supplied in plastic bags on 1000 kg or 1375 kg wooden pallets.

Storage Conditions

It is recommended to avoid the exposure of MB HPUVSTFIB101 to sunlight and high temperatures for longer times as this may impair the quality of the MB.

Contact

Address: 19 Rue du Mercure, ZI Ben Arous
2013 Ben Arous - Tunisia.
Tel : +216 71 383 675
Fax : +216 71 383 716
Email: commercial@hosta-polymers.com

Ed.1 30/03/2015