

WHITE CONCENTRATE: HPLCWF102

Product description

The MB HPLCWF102 contains a high loading of Premium TiO2.

The granular shape of this MB, being very similar to that of the LDPE resin in terms of size and density, allows an easy mixing/dispersion with the raw materials. This product has been designed to be suitable for extrusion coating.

Specifications (Reported on CoA)

| Content TiO2 | 48-52% | M WHF |
|--------------|--------|-------|

Additional Typical Values

| Appearance | White Granules | M001 |
|--------------|----------------|------|
| Bulk Density | 0.90-0.95 | M003 |

Recommendations of use

Addition levels of MB HPLCWF102 depend on various factors such as thickness of the article, expected service life, presence of fillers and other additives and commonly range from 0.5-3%. Contact us for your specific recommendation needs.

Packaging

MB HPLCWF102 is supplied in plastic bags on1000 kg or 1375 kg wooden pallets.

Storage Conditions

It is recommended to avoid the exposure of MB HPLCWF102 to sunlight and high temperatures for longer times as this may impair the quality of the MB. Storage lifetime is 1 year.

Contact

Address: 19 Rue du Mercure, Zl Ben Arous 2013 Ben Arous - Tunisia. Tel : +216 71 383 675 Fax : +216 71 383 716 Email: commercial@hosta-polymers.com

Ed. 02 02/06/2015

The information contained herein is based on our current knowledge and experience. A legally binding promise of certain characteristics or suitability for a concrete individual case cannot be derived from this information. The information here is not intended to release processors and users from the responsibility of carrying out their own tests and inspections in each concrete individual case.