

TDS/SPECIFICATION SHEET

PREMIUM WHITE CONCENTRATE: HPWHF103

Product description

The MB HPWHF103 contains a high loading of High performance TiO2.

The granular shape of this MB, being very similar to that of the LLDPE resin in terms of size and density, allows an easy mixing/dispersion with the raw materials. This product has been designed to be suitable for injection molding

Specifications (Reported on CoA)

Content TiO2	58-62%	M WHF

Additional Typical Values

Appearance	White Granules	M001
Bulk Density	0.95-1.05	M003

Recommendations of use

Addition levels of MB HPWHF103 depend on various factors such as thickness of the article, expected service life, presence of fillers and other additives and commonly range from 0.5-3%. Contact us for your specific recommendation needs.

Packaging

MB HPWHF103 is supplied in plastic bags on1000 kg or 1375 kg wooden pallets.

Storage Conditions

It is recommended to avoid the exposure of MB HPWHF103 to sunlight and high temperatures for longer times as this may impair the quality of the MB. Storage lifetime is 1 year.

Contact

Address: 19 Rue du Mercure, ZI Ben Arous

2013 Ben Arous - Tunisia. Tel: +216 71 383 675 Fax: +216 71 383 716

Email: commercial@hosta-polymers.com

Ed. 02 02/06/2015